

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	8	(clos\$3 NEAR2 (command OR signal)) AND 4	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/16 10:27
L1	77	(node OR computer OR client OR (network ADJ device))WITH command WITH clos\$3 WITH (storage OR RAID OR memory)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/16 10:26
L4	26	(US-20020078239-\$).did. or (US-5566331-\$ or US-5608902-\$ or US-5737747-\$ or US-5893140-\$ or US-5940594-\$ or US-6012060-\$ or US-6044367-\$ or US-6067545-\$ or US-6111673-\$ or US-6112277-\$ or US-6272523-\$ or US-6314488-\$ or US-6324581-\$ or US-6339793-\$ or US-6389420-\$ or US-6401170-\$ or US-6442613-\$ or US-6453354-\$ or US-6493804-\$ or US-6496549-\$ or US-6567853-\$ or US-6651140-\$ or US-6674558-\$ or US-6675195-\$ or US-6697846-\$).did.	US-PGPUB ; USPAT	SAME	ON	2005/02/16 10:25
L2	10	1 AND (direct NEAR2 access)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/16 10:20
S1	27	low ADJ2 latency ADJ2 interconnect	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/16 10:05
S28 6	2	("6324581").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S28 5	6	((("6594676") or ("6401120") or ("6014660")).PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31

S28 4	34	((fiber NEAR2 channel)AND ((file ADJ server)OR (metadata ADJ2 server)))AND ((direct NEAR3 access\$3 NEAR3 (storage OR (storage ADJ device))) AND (((709/245, 203,227,229,228).CCLS.) OR ((707/10).CCLS.)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S28 3	279	(direct NEAR3 access\$3 NEAR3 (storage OR (storage ADJ device))) AND (((709/245,203,227, 229,228).CCLS.) OR ((707/10).CCLS.))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S28 2	14280	((709/245,203,227,229, 228).CCLS.) OR ((707/10). CCLS.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S28 1	6900	direct NEAR3 access\$3 NEAR3 (storage OR (storage ADJ device))	JPO; DERWENT US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S28 0	3423	(707/10).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S27 9	5497	(709/245,203,227,229, 228).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S27 8	13	((metadata NEAR2 server) SAME (storage OR (storage ADJ device))) SAME (direct NEAR3 access)	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S27 7	193	(metadata NEAR2 server) SAME (storage OR (storage ADJ device))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S27 6	645	metadata NEAR2 server	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S27 5	9146	metadata	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S27 4	133	((detect\$3 OR sens\$3) NEAR4 direct NEAR2 access) SAME (storade OR (storage ADJ device))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31

S27 3	472	(detect\$3 OR sens\$3) NEAR4 direct NEAR2 access	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S27 2	2341	storage SAME detect\$3 SAME direct\$3 SAME access\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S27 1	487	storage WITH detect\$3 WITH direct\$3 WITH access\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S27 0	2	("20020078239").PN.	US-PGPUB ; USPAT;	OR	OFF	2005/02/14 17:31
S26 9	30	((client NEAR3 direct NEAR3 access\$3 NEAR2 (storage OR (storage ADJ device))) AND metadata) AND (file OR device OR storage) NEAR4 (id OR identification)	USOCR; EPO; JPO; DERWENT US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S26 8	32	(client NEAR3 direct NEAR3 access\$3 NEAR2 (storage OR (storage ADJ device))) AND metadata	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S26 7	42	client NEAR3 direct NEAR3 access\$3 NEAR2 (storage OR (storage ADJ device))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S26 6	31	client NEAR2 direct NEAR2 access NEAR2 (storage OR (storage ADJ device))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S26 5	19	((provid\$3 WITH (storage OR (file NEAR3 storage)) WITH (identifier OR ID OR identification)) AND (direct ADJ access)) AND (client AND server)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S26 4	25	((direct\$4 WITH access\$3 WITH storage WITH client WITH server) AND @ad<"20001208") AND ((file OR storage OR device) NEAR2 (id OR identifier OR identification))) AND ((meta\$1data OR file) NEAR3 server)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31

S26 3	34	((direct\$4 WITH access\$3 WITH storage WITH client WITH server) AND @ad<"20001208") AND ((file OR storage OR device) NEAR2 (id OR identifier OR identification))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S26 2	95	(direct\$4 WITH access\$3 WITH storage WITH client WITH server) AND @ad<"20001208"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S26 1	111	direct\$4 WITH access\$3 WITH storage WITH client WITH server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S26 0	18	((provid\$3 WITH (storage OR (file NEAR3 storage)) WITH (identifier OR ID OR identification)) AND (direct ADJ access)) AND (client AND server)) AND @ad<"20001208"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S25 9	60	(provid\$3 WITH (storage OR (file NEAR3 storage)) WITH (identifier OR ID OR identification)) AND (direct ADJ access)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S25 8	1570	provid\$3 WITH (storage OR (file NEAR3 storage)) WITH (identifier OR ID OR identification)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S25 7	1	((("6324581").PN.) AND (check\$3 WITH file WITH access WITH request)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S25 6	1	((("6324581").PN.) AND (check\$3 WITH file)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S25 5	1	((("6324581").PN.) AND (client WITH cache\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S25 4	1	("6324581").PN.	USPAT; USOCR	OR	OFF	2005/02/14 17:31
S25 3	1	((("6324581").PN.) AND close AND file AND (access OR request OR command)) AND (client WITH cache\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S25 2	1	((("6324581").PN.) AND close AND file AND (access OR request OR command)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S25 1	1	("6324581").PN.	USPAT; USOCR	OR	OFF	2005/02/14 17:31

S25 0	12	((("6567853") or ("6453354") or ("6324581") or ("6339793") or ("6651140") or ("5940594") or ("6012060") or ("5566331") or ("6493804") or ("6389420") or ("5893140") or ("6442613")).PN.	USPAT; USOCR	OR	OFF	2005/02/14 17:31
S24 9	10	fiber adj optic SAME microseconds SAME latency	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S24 8	1	("6693880").PN.	USPAT; USOCR	OR	OFF	2005/02/14 17:31
S24 7	2	("6693880").PN.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S24 6	2	((US-5608902-\$ or US-6697846-\$ or US-6675195-\$ or US-6567853-\$ or US-6453354-\$ or US-6324581-\$ or US-6339793-\$ or US-6651140-\$ or US-6272523-\$ or US-6012060-\$ or US-5940594-\$ or US-5566331-\$ or US-6067545-\$ or US-6044367-\$ or US-6493804-\$ or US-6389420-\$ or US-6112277-\$ or US-5893140-\$ or US-5737747-\$ or US-6496549-\$ or US-6674558-\$ or US-6314488-\$ or US-6111673-\$ or US-6401170-\$).did. or (US-20020078239-\$).did.) AND (partial NEAR5 file)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31

S24 5	25	(US-5608902-\$ or US-6697846-\$ or US-6675195-\$ or US-6567853-\$ or US-6453354-\$ or US-6324581-\$ or US-6339793-\$ or US-6651140-\$ or US-6272523-\$ or US-6012060-\$ or US-5940594-\$ or US-5566331-\$ or US-6067545-\$ or US-6044367-\$ or US-6493804-\$ or US-6389420-\$ or US-6112277-\$ or US-5893140-\$ or US-5737747-\$ or	US-PGPUB ; USPAT	OR	OFF	2005/02/14 17:31
S24 4	5	((validat\$3 WITH access WITH (id OR key OR number)) SAME storage) SAME file	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S24 3	72	(validat\$3 WITH access WITH (id OR key OR number)) SAME storage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S24 2	703	validat\$3 WITH access WITH (id OR key OR number)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S24 1	4	validat\$3 WITH access WITH (id OR key OR number)WITH (RAID OR (storage NEAR3 device))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S24 0	4	validat\$3 WITH access WITH (id OR key OR number)WITH (storage NEAR3 device)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S23 9	8	latency WITH fiber WITH microseconds	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S23 8	8	((high-speed OR interconnect OR fiber OR optics)SAME lower SAME latency) SAME microseconds	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S23 7	228	(high-speed OR interconnect OR fiber OR optics)SAME lower SAME latency	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31

S23 6	9	((high-speed OR (fiber ADJ (channel OR optics)))NEAR3 low NEAR2 latency) AND microseconds	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S23 5	80	(high-speed OR (fiber ADJ (channel OR optics)))NEAR3 low NEAR2 latency	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S23 4	183999	high-speed OR (fiber ADJ (channel OR optics))NEAR3 low NEAR2 latency	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S23 3	124	(high-speed OR interconnect OR fiber OR optics)NEAR3 low NEAR2 latency	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S23 2	8	((high-speed OR interconnect OR fiber OR optics)NEAR3 latency) SAME low\$2) SAME "100"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S23 1	147	((high-speed OR interconnect OR fiber OR optics)NEAR3 latency) SAME low\$2	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S23 0	366	(high-speed OR interconnect OR fiber OR optics)NEAR3 latency	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S22 9	8	latency SAME lower SAME microsecond SAME (high-speed OR interconnect OR fiber OR optics)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S22 8	54	latency SAME microsecond SAME (high-speed OR interconnect OR fiber OR optics)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S22 7	3	low SAME latency SAME microsecond SAME high-speed	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S22 6	2	low SAME latency SAME microsecond SAME interconnect	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S22 5	29	low WITH latency WITH microsecond	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S22 4	1	("5737747").PN.	USPAT; USOCR	OR	OFF	2005/02/14 17:31
S22 3	1	("5893140").PN.	USPAT; USOCR	OR	OFF	2005/02/14 17:31

S22 2	7	((("6269431") or ("6360330") or ("6556998") or ("6629189") or ("6219693") or ("5915253") or ("6405284")).PN.	USPAT; USOCR	OR	OFF	2005/02/14 17:31
S22 1	14	metadata AND DASD.AB.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S22 0	918	DASD.AB.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S21 9	1	((((metadata AND DASD.ti.) AND file) and storage) AND access) AND (client Server)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S21 8	3	((((metadata AND DASD.ti.) AND file) and storage) AND access	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S21 7	3	((((metadata AND DASD.ti.) AND file) and storage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S21 6	3	(metadata AND DASD.ti.) AND file	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S21 5	3	metadata AND DASD.ti.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S21 4	275	DASD.ti.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S21 3	2	("6351442").PN.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S21 2	79	(metadata ADJ2 server) SAME ((client ADJ network)OR (comput\$3 NEAR3 node) OR node OR (client ADJ3 device))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S21 1	14	((metadata ADJ2 server) SAME ((client ADJ network)OR (comput\$3 NEAR3 node) OR node OR (client ADJ3 device))) SAME (file WITH request)	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31

S21 0	29879	file WITH request	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 9	397	metadata ADJ2 server	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 8	7	(object NEAR2 (oriented OR based) NEAR3 storage NEAR3 device) SAME metadata	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 7	86	object NEAR2 (oriented OR based) NEAR3 storage NEAR3 device	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 6	6	(object NEAR2 (oriented OR based) NEAR3 storage NEAR3 device) AND (direct SAME access)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 5	6	(object NEAR2 (oriented OR based) NEAR3 storage NEAR3 device) AND direct WITH access	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 4	6	(object NEAR2 (oriented OR based) NEAR3 storage NEAR3 device) AND direct WITH access WITH storage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 3	3	(object NEAR2 (oriented OR based) NEAR3 storage NEAR3 device) AND low ADJ2 latency	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 2	28	accessing SAME (storage RAID) SAME direct\$4 SAME (client node) SAME metadata	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 1	22	(((707/10) CCLS.) AND (direct NEAR2 access NEAR3 storage)) AND metadata	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S20 0	128	(((707/10) CCLS.) AND (direct NEAR2 access NEAR3 storage))	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S19 9	2	(((707/10) CCLS.) AND object\$1based ADJ3 storage	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31

S19 8	3423	(707/10).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S19 7	11	generat\$3 NEAR2 request NEAR3 open NEAR3 file	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S19 6	3	(storage AND access AND direct AND client).ti.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S19 5	546	(storage AND access AND direct).ti.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S19 4	5371	(storage AND access).ti.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S19 3	5371	storage.ti. AND access. ti.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S19 2	106237	access.ti.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S19 1	306373	storage.ti.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S19 0	33	object ADJ based ADJ storage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S18 9	3	(direct WITH file WITH access WITH storage WITH device) AND meta\$ldata ADJ server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S18 8	332	(direct WITH file WITH access WITH storage WITH device) AND (direct\$4 SAME access\$3 SAME storage)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S18 7	332	direct WITH file WITH access WITH storage WITH device	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S18 6	12	metadata ADJ server WITH (client OR node)WITH storage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S18 5	11	(direct\$4 SAME access\$3 SAME storage) SAME (metadata WITH server WITH (client OR node))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31

S18 4	64	(direct\$4 SAME access\$3 SAME storage) AND (metadata WITH server WITH (client OR node))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S18 3	192	metadata WITH server WITH (client OR node)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S18 2	5	(generat\$3 SAME request SAME open SAME file) AND (metadata WITH server)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S18 1	26947	direct\$4 SAME access\$3 SAME storage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S18 0	256	provid\$3 WITH file WITH identifier	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S17 9	559	metadata WITH server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S17 8	348	generat\$3 SAME request SAME open SAME file	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S17 7	32	object\$1based ADJ3 storage	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S17 6	13	object\$1based ADJ storage	US-PGPUB ; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S17 5	3	object\$1based ADJ storage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S17 4	5	node SAME server same metadata same storage same client same access	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S17 3	78	metadata same storage same client same access	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S17 2	16	(direct NEAR access NEAR storage NEAR device) WITH client	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S17 1	4091	direct NEAR access NEAR storage NEAR device	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31

S17 0	23	(avoid\$3 WITH cach\$3 WITH (client OR node)) AND (((709/245).CCLS.) ((709/203).CCLS.) ((709/227).CCLS.) ((709/228).CCLS.) ((709/229).CCLS.))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 9	17	(client WITH direct WITH access WITH storage) AND (((709/245).CCLS.) ((709/203).CCLS.) ((709/227).CCLS.) ((709/228).CCLS.) ((709/229).CCLS.))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 8	145	avoid\$3 WITH cach\$3 WITH (client OR node)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 7	78	client WITH direct WITH access WITH storage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 6	7	((direct WITH access WITH storage) AND (((709/245). CCLS.) ((709/203).CCLS.) ((709/227).CCLS.) ((709/228).CCLS.) ((709/229).CCLS.))) AND metadata NEAR4 server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 5	132	(direct WITH access WITH storage) AND (((709/245). CCLS.) ((709/203).CCLS.) ((709/227).CCLS.) ((709/228).CCLS.) ((709/229).CCLS.))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 4	7202	direct WITH access WITH storage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 3	52	(storage SAME direct SAME access SAME client SAME server) AND (((709/245). CCLS.) ((709/203).CCLS.) ((709/227).CCLS.) ((709/228).CCLS.) ((709/229).CCLS.))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 2	5495	((709/245).CCLS.) ((709/203).CCLS.) ((709/227).CCLS.) ((709/228).CCLS.) ((709/229).CCLS.))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 1	263	storage SAME direct SAME access SAME client SAME server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S16 0	3423	(707/10).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31

S15 9	762	(707/9) .CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S15 8	1275	(709/229) .CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S15 7	792	(709/228) .CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S15 6	1426	(709/227) .CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S15 5	2525	(709/203) .CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S15 4	729	(709/245) .CCLS.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 17:31
S15 3	20	(low ADJ2 latency ADJ2 interconnect) AND (storage SAME access\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S15 2	150771	storage SAME access\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31
S15 1	29	low ADJ2 latency ADJ2 interconnect	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/14 17:31